


Lifeline mount



Product's unique identification code

Part no.	Designation
BF3000	Adjustable fixing concrete tile
FF0300	Integrated standing seam mount installed
FF0430	Standing seam mount for snap-on sheet
FP0300	Base plate 300x100 mm
FP1030	Base plate, smooth
FP3000	Footplate, adjustable mount
FP3010	Footplate, adjustable mount - high
FP5150	Anchorage point for lifeline
IP33XX	Fixing profile L= 330 mm
IP5000	Fixing profile
LF3470	Lath bracket
ML5002	Angle-iron backing plate L=500mm
NS5000	Bracket type 5, plain roofs

Part no.	Designation
NT2001	Lifeline hook clay/concrete
NT6001	Lifeline hook plain roof
RB0010	Hoop
SF0600	Quick-release mount L=60mm
SF1350	Quick-release mount L=135mm
TF3000	Adjustable fixing clay tile
TP1217	Fixing plate, universal c/c 120-170
TP1722	Fixing plate universal c/c 170-220 mm
TP1910	Sealing plate
TP3551	Sealing plate, raised 25 mm 350 x 520 mm
TP3645	Sealing plate Opti 360 x 450 mm

Lifeline mount

Identification of construction product

All products can be identified and traced using a stamped part no. and date marking, alternatively by reference to a drawing.

Manufacturer's name and contact details

<p>Manufacturer: Weland Stål AB Address: Industrivägen 1 • SE-523 90 Ulricehamn Tel.: +46 (0)321 261 60</p>	<p>E-mail: info@welandstal.se Website: www.welandstal.se</p>
--	---

Construction product's intended use

Permanently installed lifeline mount for anchoring points for personal fall protection equipment.

Inspection of the performance of the construction product

Testing.

Inspection body

SP, Technical Research Institute of Sweden, no. 0402. SP-issued approval certificate 103601.

Stated performance

Essential characteristics	Performance	Technical specification
Mechanical strength	Static load in acc. with 7	SS-EN517:2006
Mechanical strength	Dynamic load in acc. with 8	SS-EN517:2006
Design	Type A acc. 6.2	SS-EN517:2006
Reaction in the case of fire	Class A1	SS-EN517:2006
Durability	At least equivalent to hot-dip galvanized in acc. with 5	SS-EN517:2006

The products listed above agree with the stated performance as reported in the document.
 This Declaration of Performance has been issued under the sole responsibility of Weland Stål AB

Signed on behalf of Weland Stål AB, Ulricehamn, Sweden, 26.06.2020



Klas Gunnarsson, Quality Manager

